LISTING OF THE CLAIMS

- (Previously Presented) A pharmaceutical composition comprising a KPV dimer, a first preservative agent, a solvent, an alkalizer, an acrylic acid-based polymer, a second preservative agent and a gelatinizing agent.
 - 2. (Previously Presented) The composition of claim 1 further comprising a chelating agent.
- (Previously Presented) The composition of claim 1 wherein the KPV dimer is CKPV
 (SEQ ID NO: 5) dimer.
- (Previously Presented) The composition of claim 1 wherein the acrylic acid-based polymer is Carbopol®.
- (Previously Presented) The composition of claim 1 wherein the first preservative is selected from the group consisting of phenoxyethanol, methylparaben, butylparaben, ethylparaben propylparaben and potassium sorbate and combinations thereof.
- (Previously Presented) The composition of claim 1 wherein the second preservative is selected from the group consisting of phenoxyethanol, methylparaben, butylparaben, ethylparaben propylparaben and potassium sorbate and combinations thereof
- (Previously Presented) The composition of claim 5 wherein the first preservative is methylparaben.
- $8. \qquad \hbox{(Previously Presented)} \quad \hbox{The composition of claim 6 wherein the second preservative is} \\ propylparaben.$
- (Previously Presented) The composition of claim 1 wherein the solvent is selected from the groups consisting of propylene glycol, ethanol, phenol, acetone, glycerol and isopropanol and combinations thereof.

- (Previously Presented) The composition of claim 9 wherein the solvent is propylene glycol.
- (Previously Presented) The composition of claim 2 wherein the chelating agent is selected from the group consisting of Coenzyme Q10, Zinc, L-Cysteine, L-Methionine, L-Lysine, Glutathione and EDTA and combinations thereof.
 - 12. (Previously Presented) The composition of claim 11 wherein the chelating agent is EDTA.
- (Previously Presented) The composition of claim 1 wherein the alkalizer is selected from the group consisting of HEPES, 2M NaOH, MES hydrate, MOPS, TAPS and Bis-Tris and combinations thereof.
 - (Previously Presented) The composition of claim 13 wherein the alkalizer is NaOH.
- (Previously Presented) The composition of claim 1 wherein the gelatinizing agent is selected from the group consisting of water, sterile water, distilled water, sterile saline and sterile water for injection and combinations thereof.
- (Previously Presented) The composition of claim 15 wherein the gelatinizing agent is sterile water for injection.
- (Previously Presented) The composition of claim 3 wherein the CKPV (SEQ ID NO: 5)
 dimer is at least about 0.05-0.15% of the composition.
- (Previously Presented) The composition of claim 17 wherein the CKPV (SEQ ID NO: 5)
 dimer at least about 0.1% of the composition.
- 19. (Previously Presented) The composition of claim 4 wherein the Carbopol ${\mathbb R}$ is at least about 1.5-2.5% of the composition.
- (Previously Presented) The composition of claim 19 wherein the Carbopol® is at least about 2% of the composition.

- (Previously Presented) The composition of claim 7 wherein the methylparaben is at least about 0.1-0.2% of the composition.
- (Previously Presented) The composition of claim 21 wherein the methylparaben is at least about 0.15% of the composition.
- (Previously Presented) The composition of claim 8 wherein the propylparaben is at least about 0.025-0.075% of the composition.
- (Previously Presented) The composition of claim 23 wherein the propylparaben is at least about 0.05% of the composition.
- (Previously Presented) The composition of claim 10 wherein the propylene glycol is at least about 5-15% of the composition.
- (Previously Presented) The composition of claim 25 wherein the propylene glycol is at least about 10% of the composition.
- (Previously Presented) The composition of claim 12 wherein the EDTA is at least about 0.05-0.15% of the composition.
- 28. (Previously Presented) The composition of claim 27 wherein the EDTA is at least about 0.1% of the composition.
- $29. \qquad \hbox{(Previously Presented)} \qquad \hbox{The composition of claim 14 wherein the 2M NaOH is that } \\ quantity sufficient to bring the composition to a pH of 4.0.+-.0.1.}$
- (Previously Presented) The composition of claim 15 wherein the sterile water for injection is that quantity sufficient to create a gel.
- (Previously Presented) A pharmaceutical composition comprising Carbopol®, propylparaben, methylparaben, propylene glycol, CKPV (SEQ ID NO: 5) dimer, 2 M NaOH and sterile water for injection.

- 32. (Previously Presented) The composition of claim 31 further comprising EDTA.
- 33. (Previously Presented) The composition of claim 31 wherein the CKPV (SEQ ID NO: 5) dimer is at least about 0.1% of the composition.
- 34. (Previously Presented) The composition of claim 31 wherein the Carbopol® is at least about 2% of the composition.
- (Previously Presented) The composition of claim 31 wherein the methylparaben is at least about 0.15% of the composition.
- (Previously Presented) The composition of claim 31 wherein the propylparaben is at least 0.05% of the composition.
- (Previously Presented) The composition of claim 31 wherein the propylene glycol is at least about 10% of the composition.
- $38. \qquad \hbox{(Previously Presented)} \quad \hbox{The composition of claim 32 wherein the EDTA is at least about} \\ 0.1\% of the composition.$
- (Previously Presented) The composition of claim 31 wherein the 2M NaOH is that quantity sufficient to bring the composition to a pH of 4.0.+-.0.1.
- (Previously Presented) The composition of claim 31 wherein the sterile water for injection is that quantity sufficient to create a gel.
- 41. (Previously Presented) A pharmaceutical composition comprising 2% of Carbopol®, 0.05% of propylparaben, 0.15% of methylparaben, 10% of propylene glycol, 0.1% g of EDTA, 2M NaOH in a quantity sufficient to bring the composition to a pH of 4.0.+-0.1, 0.1% of CKPV (SEQ ID NO: 5) dimer and sterile water for injection quantity sufficient to create a gel.
- 42. (Previously Presented) A method of treating urogenital conditions comprising the use of a pharmaceutical composition comprising at least about 2% of Carbopol®, at least about 0.05% of propylparaben, at least about 0.15% of methylparaben, at least about 10% of propylene glycol, at least about

0.1% of EDTA, 2M NaOH in a quantity sufficient to bring the composition to a pH of 4.0.+-.0.1, at least about 0.1% of CKPV (SEQ ID NO: 5) dimer and sterile water for injection quantity sufficient to create a gel.